

elba

predstavitev

“

Elba Novo mesto, d.o.o. je vodilno slovensko podjetje, ki se ukvarja s proizvodnjo in prodajo lastnih izdelkov s področja elektroinstalacij, instalacij računalniških, telefonskih in optičnih mrež. Enostavnost, univerzalnost funkcionalnost in prilagodljivost, cenovna dostopnost in kvaliteta so vodila, ki so nas naredila prepoznavna na slovenskem trgu in nam odpirajo vrata na trgih jugovzhodne Evrope.

Podjetje je bilo ustanovljeno leta 1989 kot družba z omejeno odgovornostjo. Družba je v zasebni lasti. V začetku devetdesetih let smo razvili lasten produkt, to je elektroinstalacijski kanal in vse potrebne sestavne dele. Naš produkt smo stalno izpopolnjevali z novimi rešitvami. Zelo veliko smo vložili v razvoj in tehnologijo. Imamo računalniško vodeno linijo za oblikovanje pločevine in lastno lakirno linijo po prašnem postopku.

S svojim lastnim znanjem in razvojem smo v preteklih letih dosegli, da Vam danes lahko ponudimo izdelke, ki predvsem na področju zidnih kanalov po designu izstopajo in so unikatni. Priključki, ki jih uporabnik potrebuje na svojem delovnem mestu, se z našimi sistemi instalacijskih kanalov izvedejo enostavno, celotna barvna paleta pa omogoča vključevanje v poljubni ambient.

Naš proizvodni program obsega:

zidne kanale, kanale za razvode, instalacijske stebričke, talne kanale, priključne elemente za močnostne, računalniške, telefonske in optične mreže, ter kabelske police.

”



introduction

“

Elba Novo mesto, d.o.o. (Ltd.) is a manufacturer, established as a limited liability company in 1989 and is in private hands. In the beginning of the 90's our ideas come true and our own product was developed, namely an electric installation trunking system with, at the beginning, only basic components. The product was constantly improved by new solutions and a lot has been invested in development and technology in the last years.

Today we own a computer-guided line for modelling metal sheet and powder coating line. All that has enable us to be among leading Slovenian manufacturers in field that covers the needs of electro installation sector. Our guidelines and appearance elements are a combination of simplicity and functionality, universality and adaptability, as well as accessible and reasonable prices in connections with quality. And all that has already taken us to the markets of Central and South Eastern Europe. Due to our knowledge and achieved development results we offer a comprehensive range of products that step out in the field of wall trunking products according to their design and uniqueness. Covering the electro-installation sector, we supply everything from wall and floor trunking products, poles, floor outlet boxes, which includes socket outlets and connections for power, telecommunication and data networks. Connections used by our customers at their places of work are easily carried out by means of our installation trunking system. A wide selection of colours offers our customers the incorporation in optional surroundings.

Within the Elba products you will also find a complete range of cable trays system with whole spectrum of couplings, bends, brackets and auxiliary pieces. With extensive choice of surface treatments we meet all different environmental requirements. (pregalvanized steel sheets, hot-dip galvanising, stainless steel or can be protected by powder coated painting). With variety of width (from 50 to 600mm) and height (50,60mm) and with a variety of wall and ceiling brackets we have achieve, that complete cable tray system are highly adaptable.

We range our products in five areas:

wall cable trunking system, feeder trunking, service poles & posts, floor trunking system, cable trays.

”



reference

references

vklučitev v prostor
blending into premises



vrhunska izdelava
first-rate production

enostavnost in funkcionalnost
simplicity and functionality

estetski videz
esthetic design



SPAR, Ljubljana



Zeleni trikotnik, Ljubljana



Bežigranski dvor, Ljubljana



Euro center, Ljubljana



Poslovni objekt Langusova, Ljubljana



BTC, Ljubljana

AT classic



i

informacije / informations

Zidni instalacijski kanal AT classic

je standardne oglete oblike in je najbolj pogosta oblika instaliranega kanala.

Cable trunking type AT classic, have standard (angular) form and it is most frequently used type.


d

dimenzije / dimensions

Dimenzije kanala AT classic dimensions

globina | depth [mm] 55, 72, 90

višina | height [mm] 110, 130, 155, 170, 200



b

barve / colors

Standardne barve standard colors

bela | white

metalno siva | metallic gray

barva po izbiri | custom color



RAL 9010



RAL 9006



AT-OK oval

i

informacije / informations

Zidni instalacijski kanal AT-OK oval

se loči od tipa AT classic po zaokroženih robovih.

Cable trunking type AT-OK oval, differs from the classic trunking by rounded edges, which make visually soft and smooth effect and when you choose suitable colour, becomes definitely one of unique steel cable trunking on the market.

d

dimenzije / dimensions

Dimenzije kanala AT-OK oval dimensions

globina | depth [mm] 55, 72, 90
višina | height [mm] 130, 170, 190



b

barve / colors

Standardne barve standard colors

bela | white

metalno siva | metallic gray

barva po izbiri | custom color



RAL 9010



RAL 9006



AT-1V exclusive



i

informacije / informations

Zidni instalacijski kanal AT-1V exclusive

s polico odlikuje vrhunski design in funkcionalnost.

Wall installation trunking AT-1V exclusive with a shelf are distinguished by their first-rate design and functionality.

b

barve / colors

Standardne barve standard colors

bela | white

metalno siva | metallic gray

barva po izbiri | custom color



RAL 9010



RAL 9006


d

dimenzije / dimensions

Dimenzije kanala AT-1V exclusive dimensions

globina | depth [mm] 55, 72, 90

višina | height [mm] 150, 170



AT-AK classic

i

informacije / informations

Asimetrični kanal AT-AK classic

ima pokrov postavljen asimetrično. S tem dosežemo večjo višino vtičnic od tal in hkrati večji spodnji prekat kanala.

Cable trunking type AT-AK classic


has asymmetrically placed cover. That means that sockets are higher above the floor level and at the same time lower compartment of trunking base is enlarged.

d

dimenzije / dimensions

Dimenzije kanala AT-AK classic dimensions

globina | depth [mm] 55, 72, 90
višina | height [mm] 160



b

barve / colors

Standardne barve standard colors

bela | white  RAL 9010
metalno siva | metallic gray  RAL 9006
barva po izbiri | custom color



AT-VK ambient




i

informacije / informations

Podometni zidni kanal AT-VK ambient

je namenjen za vgradnjo v betonske, opečne in montažne stene. Kanale lahko vgradimo direktno v steno ali pa s pomočjo vgradnega podstavka.



b

Standardne barve standard colors

barve / colors

bela | white

 RAL 9010

metalno siva | metallic gray

 RAL 9006

barva po izbiri | custom color

d

Dimenzije kanala AT-VK ambient dimensions

dimenzije / dimensions

globina | depth [mm] 55, 72, 90

višina | height [mm] 144, 184



AT-KK kotni angle



i

informacije / informations

Instalacijski kanal AT-KK kotni

se vgrajuje kjer ni dovolj prostora med okensko polico in radiatorjem ali kjer naročnik želi imeti vtičnice pri tleh.

Cable trunking type AT-KK angle

is installed if there is not enough space between the window shelf and the radiator or if the customer wants to have sockets closer to the floor.


d

dimenzije / dimensions

Dimenzije kanala AT-KK kotni dimensions

globina | depth [mm] 110

višina | height [mm] 110



b

barve / colors

Standardne barve standard colors

bela | white

metalno siva | metallic gray

barva po izbiri | custom color



practic

Instalcijski stebrički AT-OK practic
so dobavljivi v eno in dvostranski izvedbi.

*Service posts type AT-OK practice,
may be supplied in one or double-sided version.*

informacije / informations



informacije / informations

V primeru, da so priključki izvedeni preko stropa
uporabimo instalcijski stebriček OKS-S.

*In case connection is made from the ceiling,
service pole OKS-S can be used.*



AT-OK

d

Višina stebričkov dimensions

dimenzije / dimensions

AT-OK

višina | height [mm] 330, 500, 660
višina po izbiri | height by request

OKS-S

višina po izbiri | height by request

b

Standardne barve standard colors

barve / colors


bela | white

metalno siva | metallic gray

barva po izbiri | custom color



RAL 9010



RAL 9006



OKS-S

okta



OKS-4

i

informacije / informations

Za večje število priključkov je primeren okta stebriček OKS-4, ki nam omogoča instalacijo priključnih mest z vseh štirih strani.

Service post OKS-4 is suitable for larger number of outlets, as it enables installation on all four sides.

d

dimenzije / dimensions

Višina stebričkov dimensions

višina | height [mm] 330, 500, 660
višina po izbiri | height by request

b

barve / colors

Standardne barve standard colors

bela | white
metalno siva | metallic gray
barva po izbiri | custom color



RAL 9010



RAL 9006

Zanimivo rešitev nam nudi stebriček OKS-V kjer so vtičnice skrite pod pokrovom.

Service post OKS-V offers an interesting solution, where sockets are hidden under a cover.

i

informacije / informations



OKS-V



floor

ETD-9M

Priključne in razvodne talne doze so namenjene za vgradnjo v vse vrste tal. Doze tipa ER so namenjene za razvode instalacijskih vodnikov, priključne talne doze ETD in EDP pa za vgradnjo jakotočnih in šibkotočnih vtičnic. V naši ponudbi imamo tudi več vrst talnih kanalov, za medsebojno povezavo talnih doz.

Floor outlet boxes are intended for installation in all floor types. Junction outlet boxes ER are used for distribution of installation cables, while outlet boxes ETD and EDP are used for installation of power sockets and data outlets. We also offer several types of floor trunking for connection of floor outlet boxes.



Stebriček **ATP-OK** je namenjen montaži na talno dozo in je dobavljiv v eno ali dvostranski izvedbi.

Service posts type ATP-OK is meant for setting on floor box and can also be supplied in one or double-sided version.

d Dimenzije talnih doz dimensions

dimenzije / dimensions

	6M	9M	12M
širina width [mm]	243	243	345
dolžina length [mm]	245	337	345

b Standardne barve standard colors

barve / colors

bela white		RAL 9010
metalno siva metallic gray		RAL 9006
barva po izbiri custom color		



ATP-OK



sedež
headquarters

Elba Novo mesto, d.o.o.
Ulica talcev 9
8000 Novo mesto
Slovenija

tel.: +386 (0)7 39 32 600
fax: +386 (0)7 39 32 610
www.elba.si | info@elba.si

prodaja
sales

Elba Novo mesto, d.o.o.
Koprska ulica 108a
1000 Ljubljana
Slovenija

tel.: +386 (0)1 24 25 350
fax: +386 (0)1 24 25 360
www.elba.si | info@elba.si